

The Role of Neuroscience in Addressing Mental Exhaustion Among Adolescent Students: A Literature Review

Latifa Rahman*

Department of Administrative and Instructional Leadership, School of Education, St. John's University, New York, USA.

***Correspondence Author:**

Latifa Rahman, Department of Administrative and Instructional Leadership, School of Education, St. John's University, New York, USA.

Received: 25 Sep 2026; **Accepted:** 02 Oct 2026; **Published:** 17 Oct 2026

Citation: Latifa Rahman. The Role of Neuroscience in Addressing Mental Exhaustion Among Adolescent Students: A Literature Review. *American J Psy Res Rev.* 2026; 1(2), 01-12.

Abstract

This article examines neuroscience's role in addressing mental exhaustion among adolescent students. It evaluates how adolescence involves significant structural and functional reorganization, especially in the prefrontal cortex and limbic system. This developmental asynchrony increases vulnerability to chronic stress, cognitive fatigue, and emotional dysregulation. The proposed framework illustrates that public health initiatives and educational policies may enhance neural resilience by prioritizing biological factors essential for brain health. Evidence suggests that chronic stress affects the developing brain, leading to significant changes in neural circuits that increase susceptibility to psychiatric disorders. The article concludes that although Circuit-Targeted Regimen and Biological Anchors may initially increase learning demands, these challenges lead to lasting benefits.

Keywords: Neuroscience, Education, Neuroplasticity, Mental Exhaustion, Adolescent Students

Introduction

The human brain continually scans and samples its immediate environment, accessing information to predict danger, reward, or punishment. In this way, the brain functions as a sophisticated simulation or statistical program, processing and integrating incoming data to extrapolate the nature of the external world and anticipate future developments (Friston, 2010; Ortega & Braun, 2010). When the external environment changes, the brain evaluates which strategy best protects overall well-being. Learning and memory are biological phenomena arising from physical changes in neural connections and intrinsic excitability. (Desai et al., 1999) As educators, we want students to learn, integrate, and retain information so they can apply it in real-world contexts. To be effective, we must understand how to optimize our classroom environment, virtual or in-person, to facilitate the neural changes necessary for learning. Insight into how the brain functions in educational settings can improve both our teaching practices and students' learning outcomes. (Kaufer, 2011) As neuroscientists, we are uniquely positioned to understand these processes and help students understand them. Emotional burnout is a leading problem worldwide. (Friedrich, 2017) Workplace psychosocial stress significantly

increases the risk of depression, anxiety, and stress-related disorders. (Xu et al., 2023) Prolonged exposure to such stress often results in burnout, a multidimensional syndrome recognized in organizational psychology. (Aronsson et al., 2017) When burnout leads to significant distress and functional impairment, it is classified as clinical burnout. In Sweden, exhaustion disorder (ED) is a formal diagnosis equivalent to clinical burnout, characterized by physical and psychological exhaustion. (Lindsäter et al., 2022).

Adolescence is a transitional period between childhood and adulthood, initiated by the onset of puberty and marked by hormonal, physical, psychological, and social changes. This developmental stage generally includes individuals aged 10 to 19 years, although some evidence suggests it may extend to age 25. (Sheth et al., 2017) In rodent models, adolescence is defined as the period between 35 and 60 days of age. (Adolescent Transitions in Reflexive and Non-Reflexive Behavior: Review of Fear Conditioning and Impulse Control in Rodent Models, 2015) In humans, this phase is associated with increased exposure to stressors, behavioral changes, and the onset of psychiatric disorders. (Sheth et al., 2017) Chronic stress is strongly associated with psychopathology

during adolescence, contributing to depression, anxiety, and other internalizing and externalizing disorders. (Sheth et al., 2017, p. 2470547017715645) This review focuses on chronic stress as conceptualized by the “sustained threat” construct in the RDoC matrix, defined as “environmental events or chronic conditions that objectively threaten the physical and/or psychological well-being of an individual.” (Sustained Threat, n.d.) Multiple sources of chronic stress during adolescence have been identified, including poverty, economic hardship, personal or parental chronic illness, and chronic maltreatment, abuse, and neglect. (Shirtcliff et al., 2024).

Although the social and emotional consequences of classroom stress are well documented, the physiological effects on the brain are equally significant. The Yale Center report further notes, “Emotions like anxiety and fear disrupt concentration and interfere with thinking. Chronic stress, especially when poorly managed, can cause persistent activation of the sympathetic nervous system and the release of stress hormones like cortisol. Prolonged release of this and other chemicals impacts brain structures associated with executive functioning and memory, diminishing educators’ ability to be effective and undermining student learning.”

Mental exhaustion often develops after prolonged periods of studying the same material, working on a single project, or enduring years of continuous schooling. Unlike temporary frustration or fatigue, burnout is a chronic response to sustained academic demands that results in emotional, mental, and physical exhaustion. Contributing factors include academic pressure, demanding schedules, social and family expectations, extracurricular commitments, and ongoing performance requirements. Symptoms may include emotional exhaustion, declining academic performance, physical complaints, difficulty concentrating, and reduced motivation (Supervía & Bordás, 2020). Chronic academic burnout can significantly impair students’ academic and emotional well-being. Among adolescents, additional stressors such as peer pressure, social media, sleep deprivation, identity development, family conflict, and uncertainty about the future may intensify burnout. A prevention-focused approach is necessary (Zhao et al.), emphasizing the importance of recognizing when stress becomes persistent, intensifies, or disrupts daily functioning, rather than categorizing every challenging week as burnout.

In contrast, mental fatigue results from sustained mental workload, does not involve panic or performance pressure, and is characterized by mental tiredness, reduced attention, and impaired executive function. (Hopstaken et al., 2016). High engagement is generally associated with improved academic performance, while elevated burnout is linked to diminished academic progress (Reyes-de-Cózar et al., 2023). Although engagement and burnout were previously conceptualized as points on a continuum, recent research indicates that these constructs are distinct (Cano et al., 2024).

Burnout consists of three dimensions: emotional exhaustion, cynicism, and perceived incompetence (Burnout: A Review of Theory and Measurement, 2022). Emotional exhaustion, characterized by study-related strain, stress, and chronic fatigue stemming from academic demands, is often the initial indicator of study burnout (Jonge et al., 2019). This dimension is also associated with threats to student well-being, including worry, anxiety, and stress. Monitoring emotional exhaustion is valuable for research because it enables early detection and informs the development of prevention strategies (Klinkenberg et al., 2024).

Emotional exhaustion negatively affects students’ academic outcomes. Students experiencing higher levels of emotional exhaustion report lower academic attainment and reduced commitment to their studies (Klinkenberg et al., 2024, pp. 1837-1851). Emotional exhaustion is also inversely associated with study engagement. Researchers have examined protective factors for well-being, such as perceived resilience, in relation to emotional exhaustion. Greater resilience is negatively correlated with emotional exhaustion, suggesting that resilience may help buffer against student burnout (Iuga & David, 2024).

Neuroscientific research shows that students can mitigate emotional burnout by shifting from reactive survival mode to a reflective, self-regulated mindset (Morawetz et al., 2020, pp. 382-395). Chronic academic stress elevates glutamate levels, which impairs the prefrontal cortex, the region responsible for focus and emotional regulation, and enables the amygdala, the brain’s primary threat detector, to exert greater influence (Pace et al., 2020). Neuro-education models provide students with evidence-based strategies to reduce cortisol, minimize cognitive inefficiency, and enhance neural resilience (Tabibnia, 2020, pp. 321-350). The brain continuously monitors its environment, collecting sensory information to evaluate safety, threat, reward, or punishment (Levy & Schiller, 2020). It functions as a simulation system, processing data to interpret external stimuli and anticipate future events (Echeveste et al., 2020). In response to environmental changes, the brain selects adaptive strategies to maintain well-being.

The brain detects environmental changes through sensory inputs such as vision and hearing, which evolutionarily older structures initially process, including the brainstem, midbrain, and limbic system (Fritzsche et al., 2022). The limbic system assigns emotional significance to specific stimuli (Gothard, 2020). Emotions arise from neurophysiological responses to external stimuli, demonstrating that the brain is inherently emotional even at its most fundamental levels (Malezieux et al., 2023, pp. 211-231). Decision-making related to well-being depends on recognizing desired outcomes, as individuals choose actions they expect to produce favorable results and avoid those likely to lead to negative consequences. After this initial processing, both “liking” and “disliking” reflect emotional valence; sensory information and its emotional context are relayed to the cortex, where higher-order reasoning and conscious

awareness occur.

Neuroscience information demonstrates significant persuasive power. Multiple studies indicate that including neuroscience explanations enhances the appeal and perceived credibility of psychological phenomena. (Bennett & McLaughlin, 2024, pp. 290-307) For example, participants evaluated a psychological phenomenon more favorably when it was accompanied by a neuroscience explanation than when it was presented with no explanation, a social science explanation, or a natural science explanation. (Bennett & McLaughlin, 2024, pp. 290-307) Additionally, brain-imaging visuals, rather than bar graphs showing identical data, further increase positive evaluations of scientific findings. (McCabe & Castel, 2008, pp. 343-352) Consequently, the persuasive influence, or “allure,” of neuroscience information can be strategically used to shape beliefs about resilience.

Literature Review

Adolescent mental exhaustion, frequently resulting from prolonged academic stress, socio-emotional changes, and developmental transitions, represents an increasing concern within contemporary education. Recent advances in developmental cognitive neuroscience provide essential insights into the adolescent brain’s heightened vulnerability to burnout. This review synthesizes current literature on the neurobiological foundations of adolescent stress, the consequences of sustained cognitive demands, and neuroscience-based interventions designed to reduce exhaustion and promote academic resilience. Neuroscientific research elucidates the unique vulnerability of adolescent students to mental exhaustion and identifies evidence-based strategies to safeguard their developing brains. (Sleep as a moderator of adolescent brain development—evidence from a longitudinal MRI study, 2026) Adolescence is characterized by extensive neural remodeling, which enhances adaptability but also increases susceptibility to the adverse effects of chronic stress. (Eiland & Romeo, 2013, pp. 162-171).

Stress intensifies mental fatigue, especially during tasks that require significant cognitive and attentional resources. Stress impairs learning by directly affecting brain regions involved in working memory, which increases the risk of cognitive overload. (Almarzouki, 2024) This escalation of mental fatigue may contribute to depression and other mental health and social difficulties. (Gavelin et al., 2020) Recent increases in suicide rates, particularly following the global pandemic that began in 2019, and evidence that physicians experience suicide rates 44% higher than the general population due to burnout and mental exhaustion, highlight the critical importance of detecting mental fatigue in the workplace. (Hospital, 2023).

The widespread adoption of remote work and study strategies during the pandemic has substantially altered work-life balance, increasing stress for many individuals. (Work & life stress experienced by professional workers during the pandemic: a gender-based analysis, 2023) Mental

fatigue poses risks across age groups and backgrounds, including working adults and university students. (Kotnik et al., 2024) These challenges necessitate a comprehensive evaluation and comparison of subjective and objective tools for detecting and assessing mental fatigue, along with an analysis of their respective strengths and limitations. To date, no single study in the literature has addressed this gap. (Johar et al., 2023) This need constitutes the primary rationale for the present comparative analysis, which also investigates the impact of mental fatigue in the general population and reviews current detection methods and their application in health monitoring technologies.

Neuroscience provides evidence-based strategies to address mental exhaustion by facilitating the removal of neurotoxic byproducts, restoring essential neurotransmitters, and modifying the brain’s response to stress. Rather than attributing study fatigue to a lack of willpower, neuroscience conceptualizes it as a physiological state resulting from system overload. Understanding how the brain manages cognitive demands enables more efficient study practices, thereby restoring executive functioning. Neuroscience elucidates the mechanisms underlying cognitive fatigue and offers methods to optimize study habits and prevent burnout. These approaches include regulating neurotransmitters such as dopamine and glutamate, supporting the restoration of cognitive control networks, and enhancing learning efficiency. A comprehensive understanding of the neuroscience of mental fatigue supports the development of targeted interventions to restore energy and maintain focus.

Optimize Brain Chemistry (Dopamine and Glutamate): Mental exhaustion is partially attributed to the accumulation of glutamate, an excitatory neurotransmitter, in the prefrontal cortex during periods of intense concentration. (Wiehler et al., 2022) Elevated glutamate levels impair decision-making and planning, contributing to fatigue. (Wiehler & Pessiglione, 2022) Rest and sleep decrease glutamate concentrations and restore dopamine, both essential for motivation. (Vogt et al., 2025) Implementing the Pomodoro Technique, which involves 25 minutes of focused study followed by a 5-minute break, can help prevent excessive glutamate accumulation.

Protect Decision-Making Networks: Neuroimaging studies indicate that the insula and dorsolateral prefrontal cortex are essential for maintaining perseverance. As fatigue increases, communication between these regions diminishes, resulting in a preference for less demanding tasks. (Steward et al., 2025) To mitigate decision fatigue, eliminate unnecessary choices and distractions before studying. Digital tools, such as website blockers, can help minimize distractions and conserve cognitive resources.

Adopt Evidence-Based Learning Strategies (Neuro-Education): Organizing new information imposes substantial cognitive demands, and trying to comprehend, analyze, and store it at the same time can lead to overload. Use study techniques that support efficient learning. Interleaving, which involves

alternating between topics, promotes the development of structural connections in the brain. Retrieval practice, such as using flashcards, reinforces neural pathways and supports long-term memory retention. (Sana & Yan, 2022).

Utilize Active Rest and Recovery: Deep sleep is essential for reactivating neural patterns and consolidating information into long-term memory. (Vergara & Sakaguchi, 2020) Short power naps of 20 to 30 minutes, taken earlier in the day, can restore cognitive function and reduce mental fatigue. (Kharas et al., 2023).

Regulate the Stress Response (Amygdala): Chronic stress or exam-related anxiety activates the amygdala, the brain's alarm system, and may reduce prefrontal cortex volume and impair memory. (Liu et al., 2020) Mindfulness practices, deep breathing techniques such as box breathing, and brief meditation sessions have been shown to increase cell density in the prefrontal cortex and shift the response from stress to cognitive control. (Calderone et al., 2024).

Teachers can introduce moderate stress through strategies such as playing unfamiliar music before class, modifying discussion formats, or incorporating activities that require individual participation or movement. However, individual responses to stressors vary considerably. Cortisol production in response to identical events differs among individuals; what one person considers moderate stress, another may perceive as mild or extreme. (Sep et al., 2022, pp. 2714-2738) For example, cold-calling students in a large group may improve performance for some, but provoke excessive stress and anxiety in others, thereby diminishing their performance. ("I Like and Prefer to Work Alone": Social Anxiety, Academic Self-Efficacy, and Students' Perceptions of Active Learning, 2020). Furthermore, group dynamics that stereotype or exclude certain students can exacerbate stress for those individuals. (Jenkins, 2020).

The Neurobiological Vulnerability of the Adolescent Brain
Adolescence involves significant remodeling of neural architecture. Rather than maturing uniformly, the brain develops asymmetrically, creating a structural mismatch that increases vulnerability to stress. (Eiland & Romeo, 2013, pp. 162-171).

The mismatch in maturation: the subcortical limbic system, involving the amygdala, which is responsible for the perception of threats and the processing of emotions, reaches maturity quickly during puberty; the prefrontal cortex (PFC), which is in charge of executive functions, self-regulation, and long-term planning, on the other hand, keeps developing until the mid-twenties. (Steinberg, n.d.)

- Because the prefrontal cortex is still developing, adolescents exhibit greater emotional sensitivity and more intense stress responses since it is unable to regulate the hyper-reactive amygdala fully. (Ernst & Luciana, 2015)
- The "Perfect Storm" causing exhaustion is that the brain of an adolescent shows increased sensitivity to the neuromodulatory effects of stress-related hormones such

as cortisol. (Shirtcliff et al., 2024) As a result, continuous and unaddressed academic demands can cause long-lasting neurobehavioral disturbances. (Almarzouki, 2024).

Cognitive Consequences on Academic Performance

Neurobiological changes resulting from mental exhaustion are directly reflected in classroom behaviors and academic performance:

1. Executive function is impaired since continuous strain on the prefrontal cortex reduces students' capacity for working memory, their ability to concentrate selectively, and their capacity to monitor for errors. (Arnsten, 2009)
2. Due to intense cognitive stress, the brain tends to give up on flexible, goal-directed processing. Instead, it relies on rigid, habitual neural pathways, which reduces students' ability to solve problems creatively. (Arnsten, 2015)
3. Maladaptive neuroplasticity: Even though the adolescent brain has a high degree of plasticity, continuous environmental stress can lead to maladaptive structural changes, such as cortical thinning in the areas involved in executive control. (Folha et al., 2017, pp. 44-51)

Neuroscience Literacy & Psychoeducation

Teaching students about the physiological mechanisms underlying stress, emotion regulation, and neuroplasticity is an effective behavioral intervention. Research shows that Neuroscience Education (NeuroEd) can: (Vogelaar et al., 2024)

- Promote a growth mindset: once students realize that 'brains can change', there is a significant increase in their optimism about the outcomes and their confidence in their ability to handle stress. (Growth Mindset as a Student Support Tool during a Pandemic, 2023)
- Academic difficulties should be destigmatized by describing mental fatigue as a biological system working in overdrive rather than as a personal failure, since this approach lessens emotional distress, anxiety, and self-blame. (McEwen, 2017, pp. 3-19).

Circuit-Targeted Regimen & Biological Anchors

Public health frameworks and educational policies can enhance neural resilience by prioritizing biological prerequisites essential for brain health:

- Sleep restructuring: Adequate sleep is important for regulating emotions and consolidating memories. Chronic sleep loss impairs emotional regulation in the fronto-limbic system and increases the risk of burnout. (Palmer et al., 2024, pp. 440-463). Adequate sleep, balanced nutrition, and regular physical activity are critical for supporting optimal learning performance in two principal ways. First, these habits facilitate neuroplasticity and neurogenesis. Second, they help regulate cortisol and dopamine levels, which are linked to stress and positive affect, respectively. (Pickersgill et al., 2022) Conversely, behaviors such as all-night study sessions, meal skipping, and lack of exercise can impair the brain's capacity for high academic achievement. (Cheng & Yew, 2025) These effects matter for both instructors and students.
- Mindfulness involving breathing exercises has the effect of

engaging the brain's Default Mode Network (DMN) and of enhancing the connectivity between the prefrontal cortex and the amygdala, which in turn leads to a reduction in the nervous system's threat response. (Doll et al., 2016, pp. 305-313). Breathing, like other aspects of the autonomic nervous system, is primarily under automatic control; for example, breathing rate increases during exercise or in response to anxiety. However, unlike other autonomic functions such as heart rate or sweating, breathing can also be voluntarily regulated. This unique characteristic, combined with traditional Eastern techniques such as pranayama, has prompted several researchers to investigate whether deliberately slowing the breathing rate can influence physiological stress responses. Studies in adults have demonstrated that nasal slow-paced breathing, typically at around 6 breaths per minute compared to the usual 9–24 breaths per minute, can immediately affect stress-related physiology by increasing activity within the parasympathetic nervous system. (Bates et al., 2026) This shift is associated with maximized heart rate variability and reduced stress. Additional physiological benefits include enhanced oxygen absorption through activation of pulmonary receptors and improved cardiorespiratory function. (Laborde et al., 2022) Breathing exercises offer significant practical advantages: once mastered, these techniques can be used anywhere, at any time, and may serve as effective alternative attention strategies for educators. Despite these promising findings, research on breathing interventions remains in its early stages, with only a limited number of small exploratory studies conducted in adults and even fewer in children. In one randomized controlled trial, heart rate variability and standardized anxiety scale scores improved significantly in a class of 8-year-olds after a four-month, daily 10-minute deep-breathing intervention; participants also reported improved coping with everyday stressors. Improvements in heart rate variability were sustained one year later. (Kuppusamy et al., 2020, pp. 28-32) In another study, 14 adolescents with intellectual disabilities showed improved stress management after a slow-paced breathing intervention compared with a control group that participated in an audiobook session. Additionally, a deep breathing intervention administered immediately before a timed mathematics test in 122 children aged 10 to 11 years resulted in significantly reduced self-reported anxiety and improved test performance relative to controls. (Khng, 2017, pp. 1502-1510) Nevertheless, compared to the extensive research on mindfulness, there is a notable lack of randomized controlled trials examining breathing interventions in both adults and children. Furthermore, existing research on controlled, slow breathing has primarily focused on short-term effects; future studies should investigate potential long-term outcomes. In summary, while preliminary studies suggest that deep breathing may enhance resilience to stress in primary school children, more rigorous research, including randomized controlled trials, is necessary.

- Physical exercise promotes the release of brain-derived neurotrophic factor (BDNF), which helps to maintain healthy neural plasticity, opposes stress-induced cortical thinning,

and has the effect of reducing fatigue. (Gómez-Pinilla et al., 2002). Physical exercise has been proposed to benefit children's cognitive function by modulating stress-related physiological processes, including changes in the activity of various brain signaling molecules. (Morgan et al., 2015) Beyond direct effects on stress responses, physical activity may reduce stress through indirect mechanisms, including increased exposure to fresh air, natural light, social interaction, and breaks from academic work. Participation in team sports can also offer social support and mitigate psychosocial stress. (The impact of peer effects on adolescents' physical exercise: a meta-synthesis study, 2024) For instance, a child who faces challenges in the classroom may experience reduced psychosocial stress by holding a valued role within a school sports team. Although meta-analyses of randomized controlled trials have well-established associations between physical exercise and aspects of child development, such as executive functions, relatively few studies have examined the short- and long-term effects of exercise on stress in children. (Chen et al., 2023) Some correlational evidence suggests that increased physical activity is linked to reduced stress responses in adults, and exercise has been shown to decrease anxiety in children with attention deficit hyperactivity disorder. (Effects of Physical Activity, Exercise and Sport on Executive Function in Young People with Attention Deficit Hyperactivity Disorder: A Systematic Review, 2019) Further rigorous research is needed to determine the most effective forms of exercise for reducing stress specifically in primary school children. Although meta-analyses of randomized controlled trials have well-established associations between physical exercise and aspects of child development, such as executive functions, relatively few studies have examined the short- and long-term effects of exercise on stress in children. (Chen et al., 2023) Some correlational evidence suggests that increased physical activity is linked to reduced stress responses in adults, and exercise has been shown to decrease anxiety in children with attention deficit hyperactivity disorder. (Effects of Physical Activity, Exercise and Sport on Executive Function in Young People with Attention Deficit Hyperactivity Disorder: A Systematic Review, 2019) Further rigorous research is needed to determine the most effective forms of exercise for reducing stress specifically in primary school children.

- Recovery Time: Research indicates that stress can negatively affect learning and memory over extended periods, with impairments persisting for minutes to hours after a stressful event. (Vogel & Schwabe, 2016) For children from stressful home environments, breakfast clubs may provide a safe, supportive school setting and nutritional assistance. These programs could improve learning outcomes during initial lessons by allowing time for stress-related neurochemical effects to subside, buffering the transition from home to academic activities. (Graham et al., 2015) However, this approach has not yet been systematically evaluated

- Environmental Factors: Noisy and chaotic environments negatively impact various aspects of child development, with increased stress serving as a key explanatory factor.

(Fernández-Quezada et al., 2025) For instance, exposure to auditory noise has been linked to physiological stress responses in children. (Evans et al., 1998, pp. 763-776) Consequently, reducing noise and clutter in learning environments, such as by implementing noise-damping materials, may serve as an effective stress-management strategy for some children. While an environment can cause stress in children, it is also important to understand how stress, in turn, influences how environmental factors induce stress; it is equally important to consider how stress shapes children's interactions with their surroundings. Elevated stress levels have been shown to impair sustained attention in noisy and chaotic settings. (Galinsky et al., 1993, pp. 519-537) Minimizing visual distractions and clutter in classrooms can support attentional focus and enhance performance on learning tasks. It is plausible, though not yet empirically confirmed, that maintaining attention in highly stimulating classrooms poses the greatest challenge for children experiencing elevated stress. However, since stress can also heighten vigilance, teachers may find that attention-capturing strategies, such as clapping hands when students become distracted, are particularly effective for these children. The discussion below highlights strategies for educators to teach students to cope with exhaustion and burnout; it's highlighted below.

These strategies can be integrated into curricula to teach about the brain and learning, normalize the effects of toxic stress on learning, and offer coping mechanisms to mitigate its impact. Highlight for students that learning is a complex process that changes the brain's structure. (Lehmann, 2026, pp. 567-580) Struggle is intrinsic to this process, and initial misunderstandings are expected. Storytelling can effectively communicate this concept. Share personal learning experiences, especially moments of struggle and failure, to exemplify this point.

1. Promote critical self-reflection to help students understand the scientific foundations of learning. Contemporary research identifies multiple factors that can enhance or inhibit learning. (Dubinsky & Hamid, 2024) Start this process by asking students what learning means to them, how they know they have learned, and which strategies help them retain information. Emphasize that students possess valuable prior experiences, language, and cultural resources that support meaningful learning. To illustrate, share personal examples, such as preferring to learn through analogies. When facing new or challenging concepts, explain how you engage with the material by asking questions such as, "Why does this matter to me?" and "How does this impact my community?"

2. Encourage students to keep a learning diary, documenting moments when their learning is disrupted or challenged and identifying potential responses. When appropriate, maintain a teaching diary and share relevant entries with students, such as the rationale for course sequencing or the selection of lecture examples. This approach reinforces the idea that learning is a collaborative process between teacher and student.

3. Introduce the concept of self-regulation and guide students in developing strategies to manage their brain's responses, serving as an "amygdala whisperer." For example, create an online discussion board where students can share how they recognize stress and the healthy coping strategies they employ. Offer examples from your own experience to demonstrate effective stress regulation.

4. Actively work to destigmatize mental illness within your classroom. For example, invite a counselor to discuss available mental health resources and how students can access them. Additionally, collaborate with your students to draft a letter advocating for increased mental health awareness and resources on campus, integrating discussions on the neuroscience of stress and mental illness, and explicitly linking mental health to social justice. Consider structuring this as a non-disposable assignment (NDS) that has impact beyond the traditional classroom context. (Seraphin et al., 2019, pp. 84-97) Once the letter is completed, engage colleagues across the college community to further support these advocacy efforts.

Adolescents experience mental fatigue because of the brain's uneven development and the constant pressure of academic requirements. Educators and clinicians can shift from merely responding to problems to developing proactive, brain-based solutions by incorporating neuroscience into school counseling, teaching, and public health. By improving neuroscience literacy, promoting healthy sleep, and implementing targeted strategies, schools can help students build resilient neural pathways for life.

Discussion and Conclusion

The challenges and stress of formal education can negatively affect adolescent students' ability to learn effectively. Mindfulness training provides a valuable approach to supporting students in becoming successful learners and engaged members of the educational community. Integrating mindfulness into curricula at all levels of formal education can enhance not only students' academic development but also their social-emotional skills, which are essential for fostering emotional literacy. Self-awareness, emotional regulation, and resilience are critical competencies for managing the pressures of education and life beyond the classroom, and mindfulness activities can cultivate them. Furthermore, incorporating mindfulness into the curriculum promotes a positive learning environment that supports both mental health and overall well-being. This approach helps students develop greater focus, concentration, and attentiveness, improving their ability to engage with subject matter and assimilate information effectively.

Effectively managing mental fatigue requires a comprehensive approach. Incorporating regular breaks during cognitively demanding tasks can restore mental energy and improve performance. Empirical evidence demonstrates that mindfulness meditation, deep breathing exercises, and physical activity reduce stress and enhance cognitive resilience. (Fincham et al., 2023) Adequate sleep and proper nutrition also support the brain's natural recovery processes.

Neuroplasticity, the brain's ability to adapt and reorganize, offers a promising strategy for mitigating mental fatigue. Interventions such as cognitive training and skill acquisition can strengthen neural networks and increase mental stamina. (Salihi et al., 2022, pp. 889-917) Over time, these strategies may enable individuals to build resilience against the effects of sustained cognitive exertion.

In conclusion, recognizing the interconnections among emotions, cognition, and learning is essential for developing effective educational strategies. Incorporating mindfulness into the curriculum can significantly influence students' academic achievement and personal growth by equipping them with skills to overcome challenges, manage stress, and take ownership of their learning. Further research is recommended, including comprehensive, controlled studies with larger sample sizes across grade levels, control groups, and more frequent sessions. In summary, neuroscience conceptualizes adolescent mental exhaustion as a consequence of environmental and systemic incompatibility, rather than as a reflection of individual student character. The adolescent brain is dynamic and develops continuously, constrained by factors such as an underdeveloped prefrontal cortex and altered circadian rhythms. (Adolescent sleep and the foundations of prefrontal cortical development and dysfunction, 2022) When academic environments demand sustained cognitive effort without providing opportunities for periodic rest and recovery, systemic burnout becomes increasingly probable. (Weng et al., 2024).

Addressing this crisis requires a shift toward neuro-educational alignment. Educational institutions should integrate neuroscientific insights into their organizational frameworks, such as by reconsidering school start times, embedding cognitive recovery periods in curricula, and emphasizing emotional regulation over rote performance. (Dou et al., 2026) Recognizing mental exhaustion as a physiological and neural limitation allows stakeholders to create healthier, more sustainable learning environments that support adolescent brain development and long-term cognitive well-being. (Galván, 2021, pp. 843-869)

References

1. Wiehler, J. et al. (2022). A neuro-metabolic account of why daylong cognitive work alters the lateral prefrontal cortex: Role of glutamate accumulation. *Current Biology* 32(21), pp. 4693–4701. <https://doi.org/10.1016/j.cub.2022.09.044>
2. Wiehler, A. & Pessiglione, M. (2022). A neuro-metabolic account of why daylong cognitive work alters the lateral prefrontal cortex and decision-making. *Current Biology* 32(15), pp. 3261–3271. <https://doi.org/10.1016/j.cub.2022.06.028>
3. Vogt, K. E., Kulkarni, A., Pandey, R., Dehnad, M., Konopka, G., & Greene, R. W. (2025). Sleep need-driven oscillation of glutamate synaptic phenotype. *eLife* 13:RP98280. <https://doi.org/10.7554/eLife.98280>
4. Steward, G., Looi, V. & Chib, V. S. (2025). The Neurobiology of Cognitive Fatigue and Its Influence on Effort-Based Choice. *Journal of Neuroscience*, 45(24). <https://doi.org/10.1523/JNEUROSCI.1612-24.2025>
5. Sana, F., & Yan, V. X. (2022). Interleaving Retrieval Practice Promotes Science Learning. *Psychological Science*, 335, pp. 782–788. <https://doi.org/10.1177/09567976211057507>
6. Vergara, P. & Sakaguchi, M. (2020). Mechanisms Underlying Memory Consolidation by Adult-Born Neurons During Sleep. *Front. Cell. Neurosci.* <https://doi.org/10.3389/fncel.2020.594401>
7. Kharas, N., Dragoi, V., Chelaru, M., Parajuli, A. & Eagleman, S. (2023). NREM sleep improves behavioral performance by desynchronizing cortical circuits. *Science*. <https://neurosurgery.weillcornell.org/in-the-news/new-research-shows-why-naps-are-good-brain>
8. Liu, W., Zhang, W., Zheng, Z., Zou, J., Liu, X., Huang, S., You, W., He, Y., Zhang, J., Wang, X. & Pan, B. (2020). Identification of a prefrontal cortex-to-amygdala pathway for chronic stress-induced anxiety. *Nature Communications*, 11. <https://doi.org/10.1038/s41467-020-15920-7>
9. Calderone, A., Latella, D., Impellizzeri, F., Pasquale, P. D., Famà, F., Quartarone, A. & Calabrò, R. S. (2024). Neurobiological Changes Induced by Mindfulness and Meditation: A Systematic Review. *Biomedicine* 12(11). <https://doi.org/10.3390/biomedicine12112613>
10. Lakhani, B., Borich, M. R., Jackson, J. N., Wadden, K. P., Peters, S., Villamayor, A., MacKay, A. L., Vavasor, I. M., Rauscher, A., & Boyd, L. A. (2016). Motor Skill Acquisition Promotes Myelin Plasticity in the Human Brain. *Neural Plasticity*. <https://doi.org/10.1155/2016/7526135>
11. C, A., & SF, H. (2018). Dissociable effects of practice variability on learning motor and sensorimotor tasks. *PLOS ONE*. <https://doi.org/10.1371/journal.pone.0193580>
12. (2026). Improving Student Memory: Evidence-Based Strategies. Section on optimizing the timing and order of study sessions. <https://www.structural-learning.com/post/improving-students-memory-a-guide-to-the-research>
13. Mawson, R. D. & Kang, S. H. (2025). The Distributed Practice Effect on Classroom Learning: A Meta-Analytic Review of Applied Research. *Behav Sci (Basel)*. 2025 Jun 3;15(6):771.. <https://doi.org/10.3390/bs15060771>
14. Calderone, A., Latella, D., Impellizzeri, F., Pasquale, P. D., Famà, F., Quartarone, A. & Calabrò, R. S. (2024). Neurobiological Changes Induced by Mindfulness and Meditation: A Systematic Review. *Abstract*. <https://doi.org/10.3390/biomedicine12112613>
15. Ribeiro, L., Rosário, P., Núñez, J. C., Gaeta, M. & Fuentes, S. (2019). First-Year Students' Background and Academic Achievement: The Mediating Role of Student Engagement. *Frontiers in Psychology*, 10. <https://doi.org/10.3389/fpsyg.2019.02669>
16. Balaguer, Á., Benítez, E., Albertos, A. & Lara, S. (2020). Not everything helps the same for everyone: relevance of extracurricular activities for academic achievement. *Humanities and Social Sciences Communications*, 7. <https://doi.org/10.1057/s41599-020-00573-0>

17. Boulton, C. A., Hughes, E., Kent, C., Smith, J. R. & Williams, H. T. (2019). Student engagement and wellbeing over time at a higher education institution. *PLoS One* 14(11). <https://doi.org/10.1371/journal.pone.0225770>
18. Almarzouki, A. F. (2024). Stress, working memory, and academic performance: a neuroscience perspective. *Stress* 27(1). <https://doi.org/10.1080/10253890.2024.2364333>
19. Gavelin, H. M., Neely, A. S., & Dunås, T. (2020). Mental fatigue in stress-related exhaustion disorder: Structural brain correlates, clinical characteristics, and relations with cognitive functioning. *NeuroImage: Clinical*, 27. <https://doi.org/10.1016/j.nicl.2020.102337>
20. Hospital, M. G. (December 14, 2023). Physician Burnout Rate at Mass General More Than Doubled Between 2019 and 2021. *Mass General Advances in Motion*. <https://advances.massgeneral.org/cardiovascular/journal.aspx?id=2559>
21. (2023). Work & life stress experienced by professional workers during the pandemic: a gender-based analysis. *International Journal of Environmental Research and Public Health*, 20(1). <https://doi.org/10.3390/ijerph20010123>
22. Kotnik, P., Roelands, B. & Bogataj, Š. (2024). Prolonged theoretical classes impact students' perceptions: an observational study. *Frontiers in Psychology*, 15. <https://doi.org/10.3389/fpsyg.2024.1278396>
23. Johar, N. A., Kew, S. N., Tasir, Z., & Koh, E. (2023). Learning Analytics on Student Engagement to Enhance Students' Learning Performance: A Systematic Review. *Sustainability* 15(10). <https://doi.org/10.3390/su15107849>
24. Grossi, G., Perski, A., Osika, W., & Savic, I. (2015). Stress-related exhaustion disorder--clinical manifestation of burnout? A review of assessment methods, sleep impairments, cognitive disturbances, and neurobiological and physiological changes in clinical burnout. *Scandinavian Journal of Psychology*, 56(6), pp. 626–636. <https://doi.org/10.1111/sjop.12251>
25. Friedrich, M. (April 17, 2017). Depression Is the Leading Cause of Disability Around the World. *JAMA*, 317 (15), 1517. <https://jamanetwork.com/journals/jama/fullarticle/2618635>
26. Xu, T., Rugulies, R., Vahtera, J., Stenholm, S., Pentti, J., Hanson, L. L., Kecklund, G., Mathisen, J., Nordentoft, M., Kivimäki, M. & Rod, N. H. (2023). Workplace Psychosocial Resources and Risk of Sleep Disturbances Among Employees. *JAMA Network Open*, 6(5). <https://doi.org/10.1001/jamanetworkopen.2023.12514>
27. Aronsson, G., Theorell, T., Grape, T., Hammarström, A., Hogstedt, C., Marteinsdottir, I., Skoog, I., Träskman-Bendz, L. & Hall, C. (2017). A systematic review including meta-analysis of work environment and burnout symptoms. *BMC Public Health* 17. <https://doi.org/10.1186/s12889-017-4153-7>
28. Lindsäter, E., Svärdman, F., Wallert, J., Ivanova, E., Söderholm, A., Fondberg, R., Nilsson, G., Cervenka, S., Lekander, M. & Rück, C. (2022). Exhaustion disorder: scoping review of research on a recently introduced stress-related diagnosis. *BJPsych Open* 8(5). <https://doi.org/10.1192/bjo.2022.559>
29. Jónsdóttir, I. H., Nordlund, A., Ellbin, S., Ljung, T., Glise, K., Währborg, P., Sjörs, A. & Wallin, A. (2017). Working memory and attention are still impaired after three years in patients with stress-related exhaustion. *Scandinavian Journal of Psychology*, 58(6), pp. 504–509. <https://doi.org/10.1111/sjop.12394>
30. Gavelin, H. M., Neely, A. S., Aronsson, I., Josefsson, M., & Andersson, L. (2023). Mental fatigue, cognitive performance, and autonomic response following sustained mental activity in clinical burnout. *Biological Psychology*, 183. <https://doi.org/10.1016/j.biopsycho.2023.108661>
31. Supervía, P. U. & Bordás, C. S. (2020). Burnout, Goal Orientation and Academic Performance in Adolescent Students. *International Journal of Environmental Research and Public Health*, 17(18). <https://doi.org/10.3390/ijerph17186507>
32. Zhao, Y., Liu, Y., Jin, L., Hao, H., & Lyu, H. (2025). Future Time Perspective and Emotional Problems Mediated the Relationship Between Family Functioning and Adolescent Academic Burnout: A Two-Wave Longitudinal Study. *Journal of Adolescence*, 97(8), pp. 2236–2245. <https://doi.org/10.1002/jad.70036>
33. Bakker, A. B., & Mostert, K. (2024). Study Demands–Resources Theory: Understanding Student Well-Being in Higher Education. *Educational Psychology Review*. <https://doi.org/10.1007/s10648-024-09940-8>
34. (2008). Effects of Stress on the Developing Brain. *Frontiers in Neuroendocrinology* 29(3), pp. 277–287. <https://doi.org/10.1016/j.yfrne.2008.01.002>
35. Hopstaken, J. F., Linden, D. v., Bakker, A. B., Kompier, M. A., & Leung, Y. K. (2016). Shifts in attention during mental fatigue: Evidence from subjective, behavioral, physiological, and eye-tracking data. *Journal of Experimental Psychology: Human Perception and Performance*, 42(6), pp. 878–889. <https://doi.org/10.1037/xhp0000189>
36. Bakker, A. B., & Mostert, K. (2024). Study Demands–Resources Theory: Understanding Student Well-Being in Higher Education. *Educational Psychology Review*. <https://doi.org/10.1007/s10648-024-09940-8>
37. Reyes-de-Cózar, S., Merino-Cajaraville, A. & Salguero-Pazos, M. R. (2023). Avoiding Academic Burnout: Academic Factors That Enhance University Student Engagement. *Behavioral Sciences* 13(12). <https://doi.org/10.3390/bs13120989>
38. Cano, F., Pichardo, C., Justicia-Arráez, A., Romero-López, M. & Berbén, A. (2024). Identifying profiles of higher education students' academic engagement and burnout and analyzing their predictors and outcomes. *European Journal of Psychology of Education*, 39. <https://doi.org/10.1007/s10212-024-00857-y>
39. (2022). Burnout: A Review of Theory and Measurement. *International Journal of Environmental Research and Public Health*, 19(3). <https://doi.org/10.3390/ijerph19031780>
40. Jonge, J. d., Peeters, M. C. & Taris, T. W. (2019). Feeling

- Vital or Fatigued? Relations with Demands and Resources in a University Context. *International Journal of Environmental Research and Public Health*, 16(16). <https://doi.org/10.3390/ijerph16162893>
41. Klinkenberg, E. F., Versteeg, M. & Kappe, R. F. (2024). Engagement and emotional exhaustion among higher education students: a mixed-methods study of four student profiles. *Studies in Higher Education*, 49. <https://doi.org/10.1080/03075079.2023.2281533>
 42. Klinkenberg, E. F., Versteeg, M. & Kappe, R. F. (2024). Engagement and emotional exhaustion among higher education students: a mixed-methods study of four student profiles. *Studies in Higher Education*, 49, pp. 1837- 1851. <https://doi.org/10.1080/03075079.2023.2281533>
 43. Iuga, I. A., & David, O. A. (2024). Emotion Regulation and Academic Burnout Among Youth: A Quantitative Meta-analysis. *Educational Psychology Review*, 36. <https://doi.org/10.1007/s10648-024-09930-w>
 44. Morawetz, C., Riedel, M. C., Salo, T., Berboth, S., Eickhoff, S. B., Laird, A. R. & Kohn, N. (2020). Multiple large-scale neural networks underlying emotion regulation. *Neuroscience & Biobehavioral Reviews*, 116, pp. 382–395. <https://doi.org/10.1016/j.neubiorev.2020.07.001>
 45. Pace, S. A., Christensen, C., Schackmuth, M. K., Wallace, T., McKlveen, J. M., Beischel, W., Morano, R., Scheimann, J. R., Wilson, S. P., Herman, J. P. & Myers, B. (2020). Infralimbic cortical glutamate output is necessary for the neural and behavioral consequences of chronic stress. *Neurobiology of Stress*, 13. <https://doi.org/10.1016/j.ynstr.2020.100274>
 46. Tabibnia, G. (2020). An affective neuroscience model of boosting resilience in adults. *Neuroscience & Biobehavioral Reviews*, 115, pp. 321-350. <https://doi.org/10.1016/j.neubiorev.2020.05.005>
 47. Levy, I., & Schiller, D. (2020). Neural computations of threat. *Trends in Cognitive Sciences*, 25(2). <https://doi.org/10.1016/j.tics.2020.11.007>
 48. Echeveste, R., Aitchison, L., Hennequin, G. & Lengyel, M. (2020). Cortical-like dynamics in recurrent circuits optimized for sampling-based probabilistic inference. *Nature Neuroscience* 23. <https://doi.org/10.1038/s41593-020-0671-1>
 49. Fritzsche, B., Elliott, K. L., & Yamoah, E. N. (2022). Neurosensory development of the four brainstem-projecting sensory systems and their integration in the telencephalon. *Frontiers in Neural Circuits*, 16. <https://doi.org/10.3389/fncir.2022.913480>
 50. Gothard, K. M. (2020). Multidimensional processing in the amygdala. *Nature Reviews Neuroscience*, 21. <https://doi.org/10.1038/s41583-020-0350-y>
 51. Malezieux, M., Klein, A. S. & Gogolla, N. (2023). Neural Circuits for Emotion. *Annual Review of Neuroscience*, 46, pp. 211–231. <https://doi.org/10.1146/annurev-neuro-111020-103314>
 52. Bennett, E. M. & McLaughlin, P. J. (2024). Neuroscience explanations really do satisfy: A systematic review and meta-analysis of the seductive allure of neuroscience. *Public Understanding of Science*, 33(3), pp. 290–307. <https://doi.org/10.1177/09636625231205005>
 53. McCabe, D. P., & Castel, A. D. (2008). Seeing is believing: The effect of brain images on judgments of scientific reasoning. *Cognition*, 107(1), pp. 343–352. <https://doi.org/10.1016/j.cognition.2007.07.017>
 54. Westman, M., & Eden, D. (1996). The inverted-U relationship between stress and performance: A field study. *Work & Stress*, 10(2), pp. 165–173. <https://doi.org/10.1080/02678379608256795>
 55. Gellisch, M., Bablok, M., Brand-Saberi, B. & Schäfer, T. (2024). Neurobiological stress markers in educational research: A systematic review of physiological insights in health science education. *Trends in Neuroscience and Education*, 37. <https://doi.org/10.1016/j.tine.2024.100242>
 56. Almarzouki, A. F. (2024). Stress, working memory, and academic performance: a neuroscience perspective. *Stress* 27(1). <https://doi.org/10.1080/10253890.2024.2364333>
 57. Quaedflieg, C., Schneider, T., Daume, J., Engel, A. & Schwabe, L. (2020). Stress Impairs Intentional Memory Control through Altered Theta Oscillations in Lateral Parietal Cortex. *Journal of Neuroscience*, 40(40), pp. 7739–7748. <https://doi.org/10.1523/JNEUROSCI.2906-19.2020>
 58. McMorris, T., Turner, T., Hale, B., & Sproule, J. (n.d.). Beyond the catecholamines hypothesis for an acute exercise–cognition interaction: A neurochemical perspective. *Journal of Sports Sciences*, 24(8), pp. 763–773. <https://doi.org/10.1080/02640410500482899>
 59. Sep, M. S., Joëls, M., & Geuze, E. (2022). Individual differences in the encoding of contextual details following acute stress: An explorative study. *European Journal of Neuroscience*, 55(910), pp. 2714– 2738. <https://doi.org/10.1111/ejn.15067>
 60. (2020). “I Like and Prefer to Work Alone”: Social Anxiety, Academic Self-Efficacy, and Students’ Perceptions of Active Learning. *Journal of Microbiology & Biology Education*, 21(1). <https://doi.org/10.1128/jmbe.v21i1.2104>
 61. Jenkins, M. (2020). Neurophysiological and Psychological Consequences of Social Exclusion: The Effects of Cueing In-Group and Out-Group Status. *Cerebral Cortex Communications*, 1(1). <https://doi.org/10.1093/texcom/tgaa057>
 62. Pickersgill, J. W., Turco, C. V., Ramdeo, K., Rehisi, R. S., Foglia, S. D., & Nelson, A. J. (2022). The Combined Influences of Exercise, Diet and Sleep on Neuroplasticity. *Frontiers in Psychology*, 13. <https://doi.org/10.3389/fpsyg.2022.831819>
 63. Cheng, S. & Yew, L. Q. (2025). Breakfast Skipping: Influencing Factors and Its Impact on Cognitive Function and Academic Performance among Malaysian University Students. *Malaysian Journal of Nutrition*, 132(5). <https://doi.org/10.1177/00315125251329999>
 64. Bird, C. M. & Burgess, N. (2008). The hippocampus and memory: insights from spatial processing. *Nature Reviews Neuroscience*, 9. <https://doi.org/10.1038/nrn2335>
 65. J., Y. & I.H.R., Y. (2026). Healthy Aging as Information

- Divergence in the Multiplex Brain. *bioRxiv*. <https://doi.org/10.1101/2025.10.17.683158>
66. Bates, M. E., Lesnewich, L., Pawlak, A., & Buckman, J. F. (2026). Functional Connectivity Within the Central Autonomic Network Increases During Resonance Paced Breathing at 0.1 Hz. *Psychophysiology* 63(2). <https://doi.org/10.1111/psyp.70263>
 67. Laborde, S., Allen, M., Borges, U., Dosseville, F., Hosang, T., Iskra, M., Mosley, E., Salvotti, C., Spolverato, L., Zammit, N. & Javelle, F. (2022). Effects of voluntary slow breathing on heart rate and heart rate variability: A systematic review and a meta-analysis. *Neuroscience & Biobehavioral Reviews*, 138. <https://doi.org/10.1016/j.neubiorev.2022.104711>
 68. Kuppusamy, M., Kamaldeen, D., Pitani, R., Amaldas, J., Ramasamy, P., Shanmugam, P. & Vijayakumar, V. (2020). Effects of yoga breathing practice on heart rate variability in healthy adolescents: a randomized controlled trial. *Integrative Medicine Research* 9(1), pp. 28–32. <https://doi.org/10.1016/j.imr.2020.01.006>
 69. Laborde, S., Allen, M. S., Göhring, N., & Dosseville, F. (2017). The effect of slow-paced breathing on stress management in adolescents with intellectual disability. *Journal of Intellectual Disability Research*, 61(6), pp. 560–567. <https://doi.org/10.1111/jir.12350>
 70. Khng, K. H. (2017). A better state-of-mind: deep breathing reduces state anxiety and enhances test performance through regulating test cognitions in children. *Cognition and Emotion*, 31(7), pp. 1502–1510. <https://doi.org/10.1080/02699931.2016.1233095>
 71. Vogel, S. & Schwabe, L. (2016). Learning and memory under stress: implications for the classroom. *npj Science of Learning*, 1. <https://doi.org/10.1038/npjscilearn.2016.11>
 72. Graham, P. L., Russo, R., & Defeyter, M. A. (2015). Breakfast Clubs: Positively Starting the Day. *Frontiers in Public Health*, 3. <https://doi.org/10.3389/fpubh.2015.00172>
 73. Morgan, J. A., Corrigan, F., & Baune, B. T. (2015). Effects of physical exercise on central nervous system functions: a review of brain region-specific adaptations. *Journal of Molecular Psychiatry*, 3. <https://doi.org/10.1186/s40303-015-0010-8>
 74. (2024). The impact of peer effects on adolescents' physical exercise: a meta-synthesis study. *Frontiers in Psychology*, 15. <https://doi.org/10.3389/fpsyg.2024.1052345>
 75. Chen, J., Zhou, X., Wu, X., Gao, Z., & Ye, S. (2023). Effects of exergaming on executive functions of children: a systematic review and meta-analysis from 2010 to 2023. *Archives of Public Health*, 81. <https://doi.org/10.1186/s13690-023-01195-z>
 76. (2019). Effects of Physical Activity, Exercise and Sport on Executive Function in Young People with Attention Deficit Hyperactivity Disorder: A Systematic Review. *Frontiers in Psychology*, 10. <https://doi.org/10.3389/fpsyg.2019.00006>
 77. Fernández-Quezada, D., Martínez-Fernández, D. E., Fuentes, I., García-Estrada, J. & Luquin, S. (2025). The Influence of Noise Exposure on Cognitive Function in Children and Adolescents: A Meta-Analysis. *NeuroSci* 6(1). <https://doi.org/10.3390/neurosci6010022>
 78. Evans, G. W., Bullinger, M., & Hygge, S. (1998). Chronic Noise Exposure and Physiological Response: A Prospective Study of Children Living Under Environmental Stress. *Journal of Applied Social Psychology*, 28(9), pp. 763–776. <https://doi.org/10.1111/1467-9280.00014>
 79. Galinsky, T. L., Rosa, R. R., Warm, J. S., & Dember, W. N. (1993). Psychophysical Determinants of Stress in Sustained Attention. *Human Factors*, 35(4), pp. 519–537. <https://doi.org/10.1177/001872089303500402>
 80. (n.d.). Effects of Noise on People. <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=91019R7C.TXT>
 81. (2020). The role of balanced time perspective on student well-being and mental health: A mixed-methods study. *ScienceDirect* 18. <https://doi.org/10.1016/j.mhp.2020.200181>
 82. Assary, E., Zavos, H. M., Krapohl, E., Keers, R. & Pluess, M. (2021). Genetic architecture of Environmental Sensitivity reflects multiple heritable components: a twin study with adolescents. *Molecular Psychiatry*, 26. <https://doi.org/10.1038/s41380-020-0783-8>
 83. (2026). Clinical emotional freedom techniques for psychological and physiological stress reduction: A systematic review and network meta-analysis. *Explore* 22(5). <https://doi.org/10.1016/j.explore.2026.103474>
 84. Bakker, A. B. & Mostert, K. (2024). Study Demands–Resources Theory: Understanding Student Well-Being in Higher Education. *Educational Psychology Review*, 36. <https://doi.org/10.1007/s10648-024-09940-8>
 85. Räisänen, M., Postareff, L. & Lindblom-Ylänne, S. (2020). Students' experiences of study-related exhaustion, regulation of learning, peer learning and peer support during university studies. *European Journal of Psychology of Education*, 36. <https://doi.org/10.1007/s10212-020-00512-2>
 86. Fincham, G. W., Strauss, C., Montero-Marin, J., & Cavanagh, K. (2023). Effect of breathwork on stress and mental health: A meta-analysis of randomized controlled trials. *Scientific Reports*, 13. <https://doi.org/10.1038/s41598-022-27247-y>
 87. Salihu, A. T., Hill, K. D., & Jaberzadeh, S. (2022). Neural mechanisms underlying state mental fatigue: a systematic review and activation likelihood estimation meta-analysis. *Rev Neurosci* 33(8), pp. 889–917. <https://doi.org/10.1515/revneuro-2022-0023>
 88. Scheibel, A. B. (1984). The Brain Stem Reticular Core and Sensory Function. *Comprehensive Physiology*, pp. 213–256. <https://doi.org/10.1002/j.2040-4603.1984.tb00878.x>
 89. Namburi, P., Al-Hasani, R., Calhoon, G. G., Bruchas, M. R., & Tye, K. M. (2015). Architectural Representation of Valence in the Limbic System. *Neuropsychopharmacology* 41. <https://doi.org/10.1038/npp.2015.358>
 90. Tamietto, M. & Gelder, B. D. (2010). Neural bases of the non-conscious perception of emotional signals. *Nature Reviews Neuroscience*, 11. <https://doi.org/10.1038/>

91. Desai, N. S., Rutherford, L. C. & Turrigiano, G. G. (1999). Plasticity in the intrinsic excitability of cortical pyramidal neurons. *Nature Neuroscience*, 2. <https://doi.org/10.1038/12260>
92. Kaufer, D. (2011). *Neuroscience and How Students Learn*. GSI Teaching & Resource Center, University of California, Berkeley. <https://gsi.berkeley.edu/gsi-guide-contents/learning-theory-research/neuroscience/>
93. Lehmann, N. (2026). Microstructural Correlates of Learning in the Human Brain. *Journal of Cognitive Neuroscience*, 38(4), pp. 567–580. <https://doi.org/10.1177/10738584261435498>
94. Dubinsky, J. M., & Hamid, A. A. (2024). The neuroscience of active learning and direct instruction. *Neuroscience & Biobehavioral Reviews*, 163. <https://doi.org/10.1016/j.neubiorev.2024.105737>
95. Tan, J., Mao, J., Jiang, Y. & Gao, M. (2021). The Influence of Academic Emotions on Learning Effects: A Systematic Review. *International Journal of Environmental Research and Public Health*, 18(18). <https://doi.org/10.3390/ijerph18189678>
96. (2024). Effects of explaining a science lesson to others or to oneself: A cognitive neuroscience approach. *Learning and Instruction*, 91. <https://doi.org/10.1016/j.learninstruc.2024.101897>
97. Seraphin, S. B., Grizzell, J. A., Kerr-German, A., Perkins, M. A., Grzanka, P. R., & Hardin, E. E. (2019). A Conceptual Framework for Non-Disposable Assignments: Inspiring Implementation, Innovation, and Research. *Psychology Learning & Teaching*, 18(1), pp. 84–97. <https://doi.org/10.1177/1475725718811711>
98. Friston K. The free-energy principle: a unified brain theory? *Nature Reviews Neuroscience* 2010. 2010;11(2):127–138. doi: 10.1038/nrn2787.
99. Ortega PA, Braun DA. A Minimum Relative Entropy Principle for Learning and Acting. *Journal of Artificial Intelligence Research*. 2010;38:475–511. doi: 10.1613/jair.3062
100. Sheth, C., McGlade, E., & Yurgelun-Todd, D. (2017). Chronic Stress in Adolescents and Its Neurobiological and Psychopathological Consequences: An RDoC Perspective. *SAGE Open* 7(3). <https://doi.org/10.1177/2470547017715645>
101. (2015). Adolescent Transitions in Reflexive and Non-Reflexive Behavior: Review of Fear Conditioning and Impulse Control in Rodent Models. *Frontiers in Neuroscience*, 9. <https://doi.org/10.3389/fnins.2015.00439>
102. Sheth, C., McGlade, E., & Yurgelun-Todd, D. (2017). Chronic Stress in Adolescents and Its Neurobiological and Psychopathological Consequences: An RDoC Perspective. *SAGE Open Medical Case Reports*, 5. <https://doi.org/10.1177/2050313X17720503>
103. Sheth, C., McGlade, E., & Yurgelun-Todd, D. (2017). Chronic Stress in Adolescents and Its Neurobiological and Psychopathological Consequences: An RDoC Perspective. *Chronic Stress*, 1, p. 2470547017715645. <https://doi.org/10.1177/2470547017715645>
104. (n.d.). Sustained Threat. National Institute of Mental Health. [https://www.nimh.nih.gov/research/research-funded-by-](https://www.nimh.nih.gov/research/research-funded-by-nimh/rdoc/constructs/sustained-threat)
105. Shirtcliff, E. A., Hanson, J. L., Ruttle, P. L., Smith, B., & Pollak, S. D. (2024). Cortisol's diurnal rhythm indexes the neurobiological impact of child adversity in adolescence. *Biological Psychology*, 187. <https://doi.org/10.1016/j.biopsycho.2024.108766>
106. (2026). Sleep as a moderator of adolescent brain development—evidence from a longitudinal MRI study. *SLEEP* 49(6). <https://doi.org/10.1093/sleep/zsag011>
107. Eiland, L., & Romeo, R. D. (2013). Stress and the developing adolescent brain. *Neuroscience* 249, pp. 162–171. <https://doi.org/10.1016/j.neuroscience.2012.10.048>
108. Arnsten, A. F. (2009). Stress signaling pathways that impair prefrontal cortex structure and function. *Nature Reviews Neuroscience*, 10. <https://doi.org/10.1038/nrn2648>
109. Vogelaar, S., Miers, A. C., Saab, N., Dusseldorp, E., Loon, A. W., Creemers, H. E., Asscher, J. J. & Westenberg, P. M. (2024). Teaching Adolescents about Stress Using a Universal School-Based Psychoeducation Program: A Cluster Randomized Controlled Trial. *School Mental Health*, 16(2). <https://doi.org/10.1007/s12310-024-09651-z>
110. (2023). Growth Mindset as a Student Support Tool during a Pandemic. *Journal of Chemical Education*. <https://doi.org/10.1021/acs.jchemed.3c00854>
111. McEwen, B. S. (2017). Neurobiological and Systemic Effects of Chronic Stress. *Frontiers in Neuroendocrinology*, 44, pp. 3–19. <https://doi.org/10.1177/2470547017692328>
112. Palmer, C. A., Bower, J. L., Cho, K. W., Clementi, M. A., Lau, S., Oosterhoff, B., & Alfano, C. A. (2024). Sleep loss and emotion: A systematic review and meta-analysis of over 50 years of experimental research. *Psychological Bulletin*, 150(4), pp. 440–463. <https://doi.org/10.1037/bul0000410>
113. Doll, A., Hölzel, B. K., Bratec, S. M., Boucard, C. C., Xie, X., Wohlschläger, A. M. & Sorg, C. (2016). Mindful attention to breath regulates emotions via increased amygdala–prefrontal cortex connectivity. *NeuroImage* 134, pp. 305–313. <https://doi.org/10.1016/j.neuroimage.2016.03.041>
114. Gómez-Pinilla, F., Ying, Z., Roy, R. R., Molteni, R., & Edgerton, V. R. (2002). Voluntary Exercise Induces a BDNF-Mediated Mechanism That Promotes Neuroplasticity. *Journal of Neurophysiology*, 88(5). <https://doi.org/10.1152/jn.00152.2002>
115. Eiland, L., & Romeo, R. D. (2013). Stress and the Developing Adolescent Brain. *Neuroscience*, 249, pp. 162–171. <https://doi.org/10.1016/j.neuroscience.2012.10.048>
116. Steinberg, L. (n.d.). Adolescent Brain Development. *Cognitive Psychology*. https://www.cognitivepsychology.com/Adolescent_Brain_Development
117. Ernst, M., & Luciana, M. (2015). Neuroimaging of the Dopamine/Reward System in Adolescent Drug Use. *CNS Spectr*. 2015 Aug;20(4):427–441. doi: 10.1017/S1092852915000395. <https://doi.org/10.1017/S1092852915000395>
118. Shirtcliff, E. A., Hanson, J. L., Ruttle, P. L., Smith, B., & Pollak, S. D. (2024). Cortisol's diurnal rhythm indexes the neurobiological impact of child adversity in adolescence. *Biological Psychology*, 187. <https://doi.org/10.1016/j.biopsycho.2024.108766>
119. Almarzouki, A. F. (2024). Stress, working memory, and academic performance: a neuroscience perspective. *The International Journal on the Biology of Stress*, 27(1). <https://doi.org/10.1080/10253890.2024.2364333>

-
120. Arnsten, A. F. (2015). Stress weakens prefrontal networks: molecular insults to higher cognition. *Nature Neuroscience*, 18. <https://doi.org/10.1038/nn.4087>
121. Folia, O. A., Bahia, C. P., Aguiar, G. P., Herculano, A. M., Coelho, N. L., Sousa, M. B., Shiramizu, V. K., Galvão, A. C., Carvalho, W. A. & Pereira, A. (2017). Effect of chronic stress during adolescence on prefrontal cortex structure and function. *Behavioral Brain Research*, 326, pp. 44- 51. <https://doi.org/10.1016/j.bbr.2017.02.033>
122. (2022). Adolescent sleep and the foundations of prefrontal cortical development and dysfunction. *Progress in Neurobiology* 218. <https://doi.org/10.1016/j.pneurobio.2022.102338>
123. Weng, Y., Wu, T., Wei, Y., Chen, L., Chen, Y., Chen, Y. & Chen, Y. (2024). Unified and distinct cognitive control deficits in adolescents with cognitive disengagement syndrome and learning burnout. *Frontiers in Psychiatry*, 15. <https://doi.org/10.3389/fpsyt.2024.1399122>
124. Dou, J., Gihleb, R., Giuntella, O., & Lonsky, J. (2026). Breaking the Early Bell: Lessons from the First Statewide Mandate on School Start Times. NBER Working Paper No. w35184. <https://doi.org/10.3386/w35184>
125. Galván, A. (2021). Adolescent Brain Development and Contextual Influences: A Decade in Review. *Journal of Research on Adolescence*, 31(4), pp. 843- 869. <https://doi.org/10.1111/jora.12687>

Copyright:

©2026 Latifa Rahman. This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License.